Date:

Tuesday, 23/09/2008 10:22:04 AM

User: Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 42221 **Estimate Number** : 10178

P.O. Number

This Issue Prsht Rev.

First Issue

Written By

Previous Run

: 23/09/2008

: NC

: // : 41434 Type

S.O. No. :

: MACHINED PARTS

EC

Checked & Approved By Comment

est E 06.12.11 ecn 836 **Part Number**

Drawing Name

: D25941 : D2594 REV C

: PLUG

Drawing Number Project Number

: N/A

: C **Drawing Revision** Material

Due Date

: 25/10/2008

Qty:

200 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M6061T6R0625

6061-T6 Round Bar .625"



Comment: Qty.:

Total: 11 f(s)

Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8)

1100-0 (QQ-A-225/1) Ø0.625" Rod

(M5052H32R0.625) or (M6061T6R0.625)

2.0

HARDINGE

HARDINGE CNC LATHE SMALL




Comment: HARDINGE CNC LATHE SMALL

1-Make as per Dwg D2594-1 and Folio FA262.

2-Break all sharp edges 0.010 max.

Comment: INSPECT PARTS AS THEY COME OFF MACHINE





3.0

QC2



4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

5.0

HAND FINISHING

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and alodine as per QSI 005 4.1





Page 1

Dart Aerospace Ltd

W/O:			W	ORK ORDER CHANGI	ES				
DATE	STEP	PROCI	EDURE CHA	NGE	Ву	Dat	e Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
E									
			(34)						
Part No	•	PAR #:	Fault Cate	egory:	NCR: Ye	s No	DQA:	_ Date: _	
	R	esolution:	Disposition	on:	QA: N/C	Closed		Date: _	
NCR:	**	WC	ORK ORD	ER NON-CONFORMA	NCE (NO	CR)			
DATE	STEP	Description of NC		Corrective Action Section		v	erification	Approval	Approval
DAIL	5121	Section A	Initial Chief Eng	Action Description Chief Eng	Sigı Da		Section C	Chief Eng	QC Inspector
							*		
	97								
	* 1							!	
	,								
								4	
!									

NOTE: Date & initial all entries

Tuesday, 23/09/2008 10:22:05 AM Date: User: Julie Lecocq **Process Sheet Drawing Name: PLUG** Customer: CU-DAR001 Dart Helicopters Services Job Number: 42221 Part Number: D25941 Job Number: Seq. #: **Machine Or Operation:** Description: POWDER COATING POWDER COATING 6.0 Comment: POWDER COATING Powder Coat Gloss White (Ref. 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necessary) START TIME: **OVEN TEMPERATURE:** FINISH TIME: INSPECT POWDER COAT/CHEMICAL CONVERSI 7.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 9.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



U 08.10.06

	Dart	Aeros	space	Ltd
--	------	-------	-------	-----

W/O: DATE STEE	PR	WOI	RK ORDER CHANGE	S By	Date	Qty	Approval Chief Eng /	Approval QC Inspector
DATE STEP	PR	OCEDURE CHAN	GE	Ву	Date	Qty	Chief Eng /	
							Prod Mgr	QO mapecioi
								107
Part No:	PAR #:	Fault Catego	ory:	NCR: Yes	No DQ	٨:	_ Date: _	
	Resolution:	Disposition:		QA: N/C CI	osed:		Date: _	
NCR:		WORK ORDE	R NON-CONFORMAN	NCE (NCF	R)			
DATE STEI	Description of NC		Corrective Action Section		Verific	ation	Approval	Approval
DAIL OIL	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Section	on C	Chief Eng	QC Inspector
	+							
			, , , , , , , , , , , , , , , , , , , ,					

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: 42221	
Description: Plug	Part Number: D2594-1	
Inspection Dwg: D2594 Rev: C	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

	X	First Arti	cle	Prot	otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Cor	nments
0.060	+/-0.005	.06Q	J			4	
0.500	+/-0.010	498	J				
Ø0.625	+/-0.010		J				
Ø0.430	+0.000/-0.002	X.430	✓				
0.090	+0.000/-0.002	090	\mathcal{J}				
0.045	+0.000/-0.002	.045		-			
							. 200
				1		-	
			18			. 1	A1/A
	-vw=	Audited by:	2011		Prototype Ap		N/A
Date:	86/128	Date:	08/09/	50		Date:	

Measured by:	Audited by:	Prototype Approval:	N/A
Date: 08/9/28	Date: 08/09/50	Date:	>-
Rev Date Change		Revised by	Approved


Rev	Date	Change	Revised by	Approved
Α	04.01.21	New Issue	KJ/RF	
В	06.12.20	Dwg Rev. updated	KJ/JLM 1/A	
С	08.07.23	Diameter symbol added	KJ/DD TH	- X

	7.3 (1991) Will - 1913 (1992) Will - 1913 (1994) Will - 1914 (1994)		
	žes		
		·	
			The state of the s
f - .e.			The Control of the Co
New York			
Back of the second of the seco			- 9
10 mg 1 mg			
The state of the s			
		340	
Av. tr			
k			


* * * * * * * * * * * * * * * * * * *			
			4=
			. · ·
			II.



DESIGN	DRAWN BY	· ·	EROSPACE LTD IRY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO. D2594	REV. C SHEET 1 OF 1
DATE 06.1	11.20	PLUG	SCALE 2:1
REV/	DATE	DI	ECCDIDITION



	00.11.20	LOG	2:1
REV	DATE	DESCRIPTION	
Α	96.09.16	NEWISSUE	
В	97.03.15	ADD GROOVE AND O-RING	
С	06.11.20	ADD PWDR COAT; ADD MS P/N TO D2594-3; ADD AMS SPECS; ADD TOLERANCE NOTE	



D2594-1 PLUG NOTES:

- 1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R)
 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3

 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

- 5) BREAK ALL SHARP EDGES TO 0.010 MAX


D2594-3 O-RING NOTES:

1) 5/16 ID, 7/16 OD, 1/16 WIDTH

2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011

PARTS LIST:

QTY	P/N	DESCRIPTION
Х	D2594	PLUG ASSEMBLY
1	D2594-1	PLUG
1	D2594-3	O-RING



D2594 PLUG ASSEMBLY

COPYRIGHT © 1996 BY DART AEROSPACE LTD